



FoamTag[™]

Traceability and ID Tags for Metal Castings



- For applications on rough and mottled surfaces such as metal castings
- Resistant to:
 - Heat—300°F (149°C)
 - Chemicals
 - Abrasion
 - UV Exposure
- Foam backing applied to any InfoSight Tag
- Foam backing available in sizes according to customer specifications
- Identify pieces with no place to wire or strap a tag.
- InfoSight Metal Tag firmly fixed to foam backing.
- Foam backing is coated with strong adhesive to create a peel & stick label that adheres to rough and irregular surfaces.
- Survives oils and water based machining fluids.
- Print tag, apply foam backing, adhere tag to product
- InfoSight Tags are printed on InfoSight LabeLase[®] Printers with high contrast alphanumeric characters, graphics, and 1D & 2D barcodes.
- Preprinted and die cut tags are available.



Find out how easy it is to design and print your tags with a LabeLase® Metal Tag Printer & free ProducerTM Software.

Tel: +1 (740) 642-3600

Email: sales@infosight.com www.infosight.com



IDENTIFICATION THAT STICKS WITH YOUR PRODUCT FOR A LIFETIME

$\textbf{FoamTag}^{\text{\tiny{TM}}}$

Technical Specifications

Industry	Metals casting and manufacturing
Typical Customer	Product manufacturers and maintenance operators needing in-process and finished product identification on rough and mottled surfaces
Purpose	Finished goods and tracking in process materials through manufacturing and logistics processes.
Resistance	Heat: Up to 300°F (149°C)
	Chemical: Moderate
	Abrasion: Moderate
	Ultraviolet: Highly resistant to sunlight and fading
Sizes	Width: 3.0 in (76 mm) and die-cuts Lengths: call with specifications
Composition	Metal with high contrast laser-markable coatings
Available Forms	Print on-site with one of InfoSight's durable, laser metal tag printers or pre-printed by InfoSight
Available Colors	Standard white, colors by special order

