





InfoTint[™]



Fade Resistant Colors for High Temperatures Tags



- For industrial applications with harsh environments—to identify, segregate, and track products
- Resistant to:
 - Heat—up to 1800°F (982°C)
 - Chemicals
 - Abrasion
 - UV Exposure
- 3" (76mm) Wide X Customized Length
- Metal substrate with laser markable coating
- Versatile, color coded, barcode ready identification tag.
- Prevent mixed batches and lost products.
- Error free product tracking through processes, inventory, shipping, and end use—color coding makes for faster recognition in busy shops
- Available nicked and notched.
- Printed on InfoSight LabeLase® Printers with high contrast
 alphanumeric characters, graphics, and 1D & 2D barcodes.
- Preprinted tags available.



Find out how easy it is to design and print your tags with a LabeLase® Metal Tag Printer & free ProducerTM Software.

Tel: +1 (740) 642-3600

Email: sales@infosight.com www.infosight.com



PRINTERS & TAGS THAT CUT COSTS, INCREASE SAFETY, & ENSURE TRACEABILITY

InfoTint[™]



Technical Specifications

Industry	Industrial manufacturing, distribution
Typical Customer	Harsh environments: more durable than paper or plastic
Purpose	Rugged barcode ready identification - will not tear or detach during handling, processing and shipping
Resistance	Heat: In excess of 1800°F (1000°C) < 2 hours; 1700°F (927°C) for < 48 hours
	Chemical: Moderate
	Abrasion: Moderate
	Ultraviolet: Highly resistant to sunlight and fading sunlight and fading
	Width: 3.0 in (76 mm)
Sizes	Lengths: to customer specification, not less than 1.0 in (25 mm)
Composition	Metal with high contrast laser-markable coatings in multiple colors
Available	Print on-site with one of InfoSight's durable, laser
Forms	metal tag printers or pre-printed by InfoSight
Available	Red, yellow, white, violet, orange, green, gray, blue
Colors	and pink

